FIST 2016 Program: Non-recommended proposals under Life Sciences

S. No.	Temp File No	Name of the Department and address	Remarks
1.	LSI-001	Department of Botany, Kurukshetra University, Kurukshetra-136119 Haryana	Poor publication profile Inadequate research record
2.	LSI-004	Department of Poultry Science, Madras Veterinary College, Vepery, Chennai-600007 Tamil Nadu	Only 04 core faculty members in the Department
3.	LSI-007	Department of Biotechnology, Utkal University, Vani Vihar, Bhubaneshwar-751004 Odisha	 Not Recommended Inadequate Publication Profile. Poor PhD output.
4.	LSI-009	Department of Pharmacy, Banasthali Vidyapith, Banasthali-304022 Rajasthan	Incomplete application; No information on full time PhD scholars with fellowships
5.	LSI-010	Department of Pharmacology, Faculty of Medical & Health Sciences SRM University, Kanchipuram District, Kattankulathur-603203 Tamil Nadu	Inadequate research activities in the Department. Mismatch in the projected requirements and research activities.
6.	LSI-011	Department of Animal Biochemistry Division, ICAR- National Dairy Research Institute (Deemed University), Karnal-132001 Haryana	Not recommended ICAR Institute (Outside purview of FIST support)
7.	LSI-012	Department of Pharmacology, JSS College of Pharmacy, JSS University, S.S. Nagar, Mysuru-570015 Karnataka	Not recommended Less than 50% full time PhD scholars with fellowships
8.	LSI-013	Department of Bioengineering and Technology, Gauhati University Institute of Science and Technology (GUIST), Gauhati University, G.B. Nagar, Jalukbari, 2nd Floor Arts Building, Guwahati-781014 Assam	PG Program less than 3 years in existence.
9.	LSI-014	Department of Zoology, Periyar University, Periyar Palkalai Nagar, Salem-636011 Tamil Nadu	 Not Recommended Poor research output. Inadequate publication record.
10.	LSI-015	Department of Botany, Periyar University, Periyar Palkalai Nagar, Salem-636011 Tamil Nadu	Inadequate research Poor publication profile
11.	LSI-016	Department of Pharmaceutics, JSS College of Pharmacy, Ootacamund (JSS University, Mysuru), Rocklands, Octacamund-643001 Tamil Nadu	Less than 50% full time PhD scholars with fellowships

12.	LSI-017	Department of Biosciences,	Not Recommended
		Sastra University, Srinivasa Ramanujan Centre, Kumbakonam-612001 Tamil Nadu	 Lack of focus in the research thrust areas Inadequate justification of the proposed equipments & research to be undertaken
13.	LSI-019	Department of Biotechnology, Kalasalingam University (Kalasalingam Academy of Research and Education), Anand Nagar, Virudhunagar District, Krishnankoil-626126 Tamil Nadu	 Not recommended PG details not provided; No information on full time PhD scholars with fellowships
14.	LSI-020	College of Pharmacy, Pt. B.D. Sharma University of Health Sciences, Rohtak-124001 Haryana	Not Recommended ◆ Poor Teaching and research performance in the last 5 years. ◆ Lack of focus in the proposal.
15.	LSI-021	Department of Germplasm Evaluation Division, ICAR - National Bureau of Plant Genetic Resources, Pusa, New Delhi-110012 Delhi	Not recommended ICAR Institute (Outside purview of FIST support)
16.	LSI-025	Department of Botany, Yogi Vemana University, Vemanapuram, Kadapa-516003 Andhra Pradesh	Not recommended Only 4 faculty with PhD
17.	LSI-026	School of Life Sciences, Swami Ramanand Teerth Marathwada University, Nanded-431606 Maharashtra	Inadequate focus of thrust areas in the proposal.
18.	LSI-028	Department of Horticulture, Aromatic & Medicinal Plants, Earth Sciences and Natural Resources Management, Mizoram University, Aizawl-796004 Mizoram	Not recommended Poor academic and research profile
19.	LSI-029	Department of Pharmaceutical Sciences, University College of Pharmaceutical Sciences, Acharya Nagarjuna University, Guntur, Nagarjuna Nagar-522510 Andhra Pradesh	Lack of research activities in the Department. Mismatch in the projected equipment between research and requirements.
20.	LSI-032	Department of Dairy Processing Sections, Dairy Engineering Section, ICAR- National Dairy Research Institute, Southern Regional Station, Adugodi, Bengaluru-560030 Karnataka	Not recommended ICAR Institute (Outside purview of FIST support)
21.	LSI-037	Department of Environmental Science, Periyar University, Periyar Palkalai Nagar, Salem-636011 Tamil Nadu	Poor academic and research profile
22.	LSI-038	Department of Veterinary Clinical Medicine, Madras Veterinary College, Tamil Nadu Veterinary and Animal Sciences University, Chennai-600007 Tamil Nadu	Inadequate research activities in the Department. Poor Teaching performance in the Department.

22	101000	D	Not December de d
23.	LSI-039	Department of Veterinary Surgery and Radiology, Madras Veterinary College, Tamil Nadu Veterinary and Animal Sciences University, Chennai-600007 Tamil Nadu	 Not Recommended Lack of focus in the proposal. Poor teaching performance as well.
24.	LSI-040	Department of Biological Sciences, P.D. Institute of Applied Sciences (PDPIAS), Charotar University of Science and Technology, Taluka: Petled, Dist. Anand, Changa-388421 Gujarat	 Not recommended Inadequate research profile Poor publication record
25.	LSI-041	Department of Agricultural Microbiology, College of Horticulture, Kerala Agricultural University, Vellanikkara, Thrissur-680656 Kerala	 Not recommended Only 2 faculty with PhD; PG program details not provided
26.	LSI-044	School of Life Sciences, Vels Institute of Science Technology and Advanced Studies (VISTAS), Vels University, Velan Nagar, P.V. Vaithiyalingam Road, Pallavaram, Chennai-600117 Tamil Nadu	Not recommended Less than 50% full time PhD scholars with fellowships
27.	LS-045	Department of Biomedical Engineering and Bioinformatics Indian Institute of Information Technology (IIIT) Allahabad - 211 012 Uttar Pradesh	Faculty research profile and proposed requirement do not match.
28.	LSI-046	Department of Pharmacy, DIT University, Mussoorie Diversion Road, Vill. Makkawala, P.O. Bhagwantpur, Dehradun-248009 Uttarakhand	Not recommended Inadequate research profile Poor EMR grants record
29.	LSI-049	Department of Pharmaceutical Science, Pranveer Singh Institute of Technology, Agra-Delhi National Highway-2, Bhauti, Kanpur-209305 Uttar Pradesh	Not recommended Less than 50% full time PhD scholars with fellowships
30.	LSI-050	Department of Bioengineering Birla Institute of Technology, Mesra Ranchi - 835 215 Jharkhand	Not Recommended Inadequate research activities in the Department. Teaching lack of focus in the proposal.
31.	LSI-052	Department of Pharmacy, Institute of Biomedical Education and Research, Mangalayatan University, Extended NCR, 33rd Milestone, Mathura- Aligarh Highway, Beswan, Aligarh-202146 Uttar Pradesh	Poor focus in research in the proposal. Inadequate research activities in the Department.
32.	LSI-053	Department of Biotechnology Manipal Institute of Technology, Manipal University, Udupi Dist, Manipal-576104 Karnataka	Inadequate research profile Poor EMR grants record

		T =	1
33.	LSI-057	Department of Microbiology, Yogi Vemana University, Vemanapuram, Kadapa-516003 Andhra Pradesh	Only 4 core faculty members in the Department
34.	LSI-058	Department of Biotechnology, Maharishi Markandeshwar University, Mullana, Ambala-133207 Haryana	Not recommended Less than 50% full time PhD scholars with fellowships
35.	LSI-059	Division of Veterinary Medicine, Faculty of Veterinary Sciences & AH, Sher-e-Kashmir University of Agricultural Sciences & Technology of Jammu, R. S. Pura, Jammu-181102 Jammu & Kashmir	 Poor Teaching performance in the Department. Inadequate research focus in the proposal.
36.	LSI-060	Department of Applied Botany, Kuvempu University, Jnanasahyadri, Shivamogga Dist., Shankaraghatta-577451 Karnataka	Inadequate research record Poor academic profile
37.	LSI-062	Department of Plant Physiology, Kerala Agricultural University, Thiruvananthapuram-695522 Kerala	Not recommended ◆ Only 2 faculty with PhD
38.	LSI-063	Department of Biosciences, Veer Narmad South Gujarat University, Udhana Magdalla Road, Surat-395007 Gujarat	 Not Recommended Lack of focus in the proposal. Poor research Profile.
39.	LSI-064	Department of Microbial Biotechnology, Bharathiar University, Coimbatore-641046 Tamil Nadu	 Not Recommended Inadequate research profile. Poor publication record.
40.	LSI-066	GITAM Institute of Pharmacy, GITAM University, Gandhi Nagar, Rushikonda, Visakhapatnam-530045 Andhra Pradesh	Not recommended Incomplete application; No information on full time PhD scholars with fellowships
41.	LSI-067	Department of Zoology, Kumaun University, D.S.B. Campus, Nainital-263002 Uttarakhand	Inadequate research profile Poor EMR grants record
42.	LSI-069	Department of Pharmaceutical Technology & Centre for Excellence in Nanobio Translational Research, Bharathidasan Institute of Technology Anna University, Tiruchirappalli-620024 Tamil Nadu	Not Recommended This proposal is apparently submitted from the Centre and not from the Department of Pharmaceutical Technology. Lack of focus in the proposal.
43.	LSI-071	Department of Veterinary Microbiology, Sri Venkateswara Veterinary University, College of Veterinary Science, Chittoor District, Tirupati-517502 Andhra Pradesh	Not Recommended Inadequate research activities in the Department. Poor teaching performance as well.
44.	LSI-072	Department of Pharmacology, JSS Medical College, Sri Shivarathreeshwara Nagar, Bannimantap, Mysore-570015 Karnataka	 Not Recommended Lack of focus in the proposal. Mismatch between the projected items as research activities in the Department.

45.	LSI-073	Department of Pharmaceutical Sciences, University Institute of Pharmacy, C.S.J.M. University, Kalyanpur, Kanpur-208024 Uttar Pradesh	Only 3 faculty with PhD
46.	LSI-074	Department of Urology, Institute of Post Graduate Medical Education & Research, 244, AJC Bose Road, Kolkata-700020 West Bengal	Individual centric proposal instead of department level proposal.
47.	LSI-075	Department of Bioinformatics, Bharath Institute of Higher Education an Research, 173 Agaram Road, Selaiyur, Tambaram, Chennai-600073 Tamil Nadu	Not recommendedOnly 3 faculty with PhD
48.	LSI-076	Department of Industrial Biotechnology, Bharath Institute of Higher Education & Research, 173 Agaram Road, Selaiyur, Tambaram, Chennai-600073 Tamil Nadu	Only 4 faculty with PhD
49.	LSI-078	Department of Anatomy, Institute of Post Graduate Medical Education & Research, The West Bengal University of Health Sciences, Kolkata-700020 West Bengal	Poor research focus in the proposal. Mismatch between research activities in the Department & projected requirements.
50.	LSI-079	Department of Nutrition & Diettetics, Manav Rachna International University, Sec-43, Aravalli Hills, Delhi-Surajkund Road, Faridabad-121004 Haryana	Inadequate academic profile Poor EMR grants record
51.	LSI-080	Department of Central Research Laboratory, K.S. Hegde Medical Academy (KSHEMA), Nitte University, Deralakatte, Nithyananda Nagar, Mangalore-575018 Karnataka	Inadequate research focus in the Department. It is appeared to be virtual Department as 'Central Research Laboratory.
52.	LSII-002	Department of Biotechnology, Acharya Nagarjuna University, Nagarjuna Nagar, Guntur - 522510 Andhra Pradesh	Tenure of the current project (LSI- 441/2010) would be over in February, 2017.
53.	LSII-003	Department of Zoology, Gauhati University, Gopinath Bardoloi Nagar, Jalukbari, Guwahati-781014 Assam	Not Recommended ◆ No Clarity and focus in the proposal.
54.	LSII-005	Department of Veterinary Science, College of Veterinary Science, Sri P.V. Narsimha Rao Telangana State University for Veterinary, Animal and Fishery Sciences, Rajendranagar, Hyderabad-500030 Telangana	UGC recognition as an University is still under process.

	1		
55.	LSII-008	Department of Biotechnology, Anna University, BIT Campus, Tiruchirappalli-620024 Tamil Nadu	Not recommended Poor quality publications Inadequate research profile
56.	LSII-010	Department of Marine Biology, Microbiology and Biochemistry, Cochin University of Science and Technology, Lakeside Campus, Fine Arts Avenue, Kochi-682016 Kerala	Review grading of earlier project below Very Good & 2 year cooling off period is not yet over
57.	LSII-012	Department of Zoology, Faculty of Science, Banaras Hindu University, Varanasi-221005 Uttar Pradesh	Not Recommended Lack of focus in the proposal Mismatch between the research activities at the department and the projected requirements
58.	LSII-013	Department of Zoology, University of Madras, Guindy Campus, Chennai-600025 Tamil Nadu	Absent
59.	LSII-015	Division of Fruits and Horticultural Technology, ICAR-Indian Agricultural Research Institute, New Delhi-110012	Not recommended ICAR Institute (Outside purview of FIST support)
60.	LSII-016	Department of Biotechnology, Cochin University of Science and Technology, Cochin-682022 Kerala	Only 4 faculty with PhD
61.	LSII-018	Department of Pharmaceutical Sciences, Dr. H. S. Gour Vishwavidyalaya, Sagar-470003 Madhya Pradesh	 Not Recommended Lack of focus in the presentation. Inadequate and poor implementation of previous FIST Project at the Department.
62.	LSII-019	Department of Plant Pathology, CCS Haryana Agricultural University, Hisar-125004 Haryana	 Not recommended Poor quality publications. Inadequate research profile.
63.	LSII-020	School of Biology, Indian Institute of Science Education and Research, Thiruvananthapuram CET Campus, Engineering College P.O. Trivandram-695016 Kerala	 Not Recommended. Lack of proper strategization of the Proposal. The Project equipment was beyond the upper limit of FIST- Level 1 Support.
64.	LSII-022	Department of Oral and Maxillofacial Surgery, Faculty of Dental Sciences, King George's Medical University, Lucknow-226003 Uttar Pradesh	 Not Recommended Inadequate Research activities in the Department. Poor teaching performance as well.
65.	LSII-026	Jacob School of Biotechnology and Bioengineering, Sam Higginbottam Institute of Agriculture, Technology and Sciences, Allahabad-211007 Uttar Pradesh	Four (4) Departments under the School have applied collectively in a single proposal.
66.	LSII-027	Dept of Gastroenterology & Hepatology, Amrita Institute of Medical Sciences and Research Center, Healthcare Campus, Amrita Viswa Vidyapeetham, Kochi-682026 Kerala	 Not Recommended Lack of research focus n the proposal. No acknowledgement of previous FIST support in the publications.

FIST 2016 Program: Non-recommended proposals under Physical Sciences

Sr. No.	Temp File no	Name of the Department and address	Remarks
1.	PSI-001	Department of Physics, Institute of Chemical Technology, Nathalal Parekh Road, Matunga, Mumbai-400019 Maharashtra	Not Recommended Only four core faculty in the department
2.	PSI-003	Department of Astronomy, University College of Science, Osmania University, Hyderabad-500007 Telangana	 Not Recommended Weak MSc Program, Weak PhD Program, Poor Teaching and Research Program, Not many students qualified National Level examinations
3.	PSI-00 <i>5</i>	Interdisciplinary School of Scientific Computing and Centre of Modeling and Simulation Savitribai Phule Pune University, Potdar Complex, Ganeshkhind Road, Pune-411007 Maharashtra	Not Recommended Less no of students in research program, Rs 8 Crore funding for acquiring HPC facility by DST, Does not fit under the purview of FIST
4.	PSI-007	Department of Physics, Central University of Rajasthan, Bandarsindri, NH-8, Ajmer-305817, Rajasthan	Not Recommended Inadequate justifications of proposed requirements. Lack of focus in the Presentation
5.	PSI-009	Department of Physics, Mizoram University Aizawl, Tanhril-796004, Mizoram	Mismatch between proposed requirements & research activities. Lack of focus in the presentation.
6.	PSI-010	Department of Physics, Christ University, Hosur Road, Bengaluru-560029 Karnataka	Not Recommended Poor research merit, MSc students not passed National Level Examination
7.	PSI-015	Department of Physics, Dr. B.R. Ambedkar National Institute of Technology, Jalandhar, G T Road, Jalandhar-144011 Punjab	Not Recommended Improper justifications for proposed requirements. Inadequate Research activities in the Department.
8	PSI-017	Amity Institute of Applied Sciences, Amity University, Sector 125, Gautam Budha Nagar, Noida-201313 Uttar Pradesh	Not Recommended Proposed requirements are not adequately justified. No focus in the presentation
9	PSI-018	School of Basic and Applied Sciences, Central University of Tamil Nadu, Neelakudi Campus, Kangalancherry Post, Thiruvarur-610101 Tamil Nadu	Mismatch between research activities and proposed requirements.
10.	PSII-001	Department of Physics, Acharya Nagarjuna University, Guntur, Nagarjuna Nagar-522510 Andhra Pradesh	Not Recommended Ongoing project (PSI-163/2011) till May 17
11.	PSII-002	Department of Physics, Osmania University, Hyderabad-500007 Telangana	Not Recommended Improper justifications for the proposed required items. Lack of focus and Poor presentation.

12.	PSII-003	Department of Physics and Nanotechnology,	Not Recommended
12.	1 311-003	SRM University, Kattankulathur-603203 Tamil Nadu	[Review rating less than Very Good, cooling off period not over]
			PSI-155/2010 Good
13.	PSII-006	Centre for Applied physics, Central University of Jharkhand, Ratu Lohardaga Road, Brambe, Ranchi-835205, Jharkhand	Not Recommended Proposed requirement could not be justified Lack of focus and Poor presentation
14.	PSII-007	Department of Physics, School of Advanced Sciences VIT University, Vellore-632014 Tamil Nadu	Not Recommended Proposed requirement i.e. XPS could not be justified adequately. Lack of focus in the proposal
15.	PSII-009	Department of Physics, School of Physical Sciences, Periyar University, Periyar Palkalai Nagar, Salem-636011 Tamil Nadu	Not Recommended Proposed requirement could not be justified properly. Lack of focus and Poor presentation.
16.	PSII-012	School of Physics, IISER Thiruvananthapuram, CET Campus, Trivandrum-695016 Kerala	Not Recommended Inadequate justification of proposed facilities. Not enough users for SAXS Facility
17.	PSII-013	Department of Physics & Materials Science, Jaypee University of Information Technology (JUIT), Waknaghat, Teh. Kandaghat, Solan-173234 Himachal Pradesh	Out of eight full time PhD scholars, only three scholars received fellowship Weak research merit
18.	PSII-015	Department of Physics, School of Physical Chemical and Applied Sciences, Pondicherry University, R V Nagar, Kalapet, Pondicherry-605014 Pondicherry	Not Recommended [Review rating less than Very Good, cooling off period not over] PSII-021/2009 Good
19.	PSII-016	Department of Nanoscience and Nanotechnology, International and Interuniversity Centre for Nanoscience and Nanotechnology, Mahatma Gandhi University, Priyadarsini Hills, Kottayam-68656, Kerala	Pooled faculty from different departments, Core faculty strength not clear in the proposal

FIST 2016 Program: Non-recommended proposals under Chemical Sciences

S. No.	Temp File no	Name of the Department and address	Remarks
			Not Recommended
1.	CSI-002	Department of Chemistry, Kurukshetra University, Kurukshetra-136119 Haryana	 The credentials of the Department are very strong but the proposal has projected only minor equipments that could easily be procured from individual EMR Projects. It was pointed out to the Department that FIST
		D (Cl. 1)	funds are best utilized for major facilities.
1.	CSI-004	Department of Chemistry, Bharath Institute of Higher Education & Research, 173, Agaram Road, Selaiyur, Tambaram, Chennai-600073 Tamil Nadu	 No PG Program No PhD scholars with fellowships
		Tallii Nado	Not Recommended
2.	CSI-005	Department of Chemistry, Indian Institute of Technology, Hyderabad, Sangareddy, Medak District, Kandi-502285 Telangana	 The current proposal seems to repeat the facility already available (400 MHz NMR with a solid state attachment). It was pointed out to the Department that FIST funds are best utilized for major facilities that expand on the already existing facilities to inject new possibilities for research.
2.	CSI-006	Department of Chemical Sciences, Mahatma Gandhi Chitrakoot Gramodaya Vishwavidyalaya, Satna, Chitrakoot-485780 Madhya Pradesh	Not recommended Only 3 core faculty members with PhD
3.	CSI-008	Department of Chemistry, Sam Higginbottom Institute of Agriculture, Technology & Sciences, Allahabad, P.O. Allahabad Agricultural Institute, Allahabad-211007 Uttar Pradesh	 Not recommended Inadequate R & D activities No publications in standard journals No research plan
4.	CSI-009	Department of Chemistry, Noorul Islam Centre for Higher Education Kumaracoil, Kanyakumari District, Thuckalay-629175 Tamil Nadu	Not recommended Only 4 core faculty members with PhD
5.	CSI-012	Department of Analytical Chemistry, University of Madras, Guindy Campus, Chennai-600025 Tamil Nadu	Not recommended Inadequate publications Faculty research profile not adequate
6.	CSI-013	Department of Chemistry, Mother Teresa Women's University, Kodaikanal-624101 Tamil Nadu	Not recommended Only 2 core faculty members with PhD
3.	CSI-015	Discipline of Chemistry, Indian Institute of Technology Indore, Simrol, Khandwa Road, Indore-453552 Madhya Pradesh	The proposed equipment (500 MHz NMR) by the Institute was outside the maximum limit of support under Level-1 category. However, the proposal could not be considered under Level-2, since the required site visit for this level had not been carried out.

7.	CSI-017	Department of Applied Chemistry, M.J.P. Rohilkhand University, Bareilly-243006 Uttar Pradesh	Not recommended Inadequate publications Faculty research profile not adequate
8.	CSI-018	Centre for Nano and Material Sciences, Jain University, Jain Global Campus, Ramanagaram, Bangalore-562112 Karnataka	Not recommended • PG Program less than 3 years
9.	CSI-019	School of Chemistry, Faculty of Basic Sciences, Shoolini University P.O. Sultanpur, Solan-173229 Himachal Pradesh	Not recommended Less than 50% full time PhD scholars with fellowships
10.	CSII-003	Department of Chemistry, Sri Krishnadevaraya University, Ananthapuramu-515003 Andhra Pradesh	Inadequate publications Faculty research profile not adequate
11.	CSII-004	Department of Chemistry, North-Eastern Hill University, Shillong-793022 Meghalaya	 One of the major facility (Ion Chromatograph) acquired under the earlier FIST Project is yet to be installed and utilized for research Only after completion of the earlier FIST Project in all respects, the Department would be considered for fresh FIST support.
12.	CSII-005	Department of Chemistry, Dibrugarh University, Dibrugarh-786004 Assam	Not recommended CSI-041/2002 (Good) CSI-205/2009 (Good) [Review grading of earlier project below V. Good & 2 yr waiting period is not yet over]
13.	CSII-007	School of Chemistry and Biochemistry, Thapar University, Thapar Technology Campus, Post Box No. 32, Patiala-147004 Punjab	Not recommended (Current Project tenure till September, 2016) CSI-217/2010 V. Good
14.	CSII-008	Department of Chemistry, Guru Jambheshwar Univ. of Science & Technology, Hisar-125001 Haryana	Not recommended Poor research profile Poor publications
15.	CSII-010	Department of Chemistry, VIT University, Vellore-632014 Tamil Nadu	Not recommended CSI-211/2010 (Good) [Review grading of earlier project below V. Good & 2 yr waiting period is not yet over]
16.	CSII-011	Department of Chemistry, Maharshi Dayanand University, Rohtak-124001 Haryana	No understanding of the proposed equipments and the thrust areas. No clarity in the projected specifications of the equipment and their usage.

FIST 2016 Program: Non-recommended proposals under Engineering Sciences

Sr. No.	Temp File no	Name of the Department and address	Remarks
1.	ETI-001	Department of EEE, Kalasalingam Academy of Research and Education (Kalasalingam University), Anand Nagar, Virudhunagar District., Krishnankoil-626126 Tamil Nadu	Not Recommended Only 2 Full time PhD scholars awarded fellowships out of currently 30 PhD Scholars.
2.	ETI-002	School of Mechanical and Building Sciences VIT University, Chennai Campus, Vandalur – Kelambakkam Road, Chennai-600127 Tamil Nadu	Not Recommended Poor Publication record
3.	ETI-003	School of Computing & Information Technology, Reva University, Rukmini Knowledge Park, Kattigenahalli, Yelahanka, Bengaluru-560064 Karnataka	No Full Time PhD scholars awarded fellowships
4.	ETI-004	Department of Civil Engineering, SRM University, Kattankulatur Campus, SRM Nagar, Kanchipuram Dist, Kattankulatur-603203 Tamil Nadu	Not Recommended Poor Publication record
5.	ETI-005	Department of Electrical Engineering, National Institute of Technology Silchar, Silchar-788010 Assam	Not Recommended Could not justify the research activities and the requirements thereof. Lack of Focus in the Presentation
6.	ETI-006	Department of Computer Science & Information Technology, Symbiosis Institute of Technology, Symbiosis International University, Pune-412115 Maharashtra	No Full time PhD Students in the department. No PhD Output
7.	ETI-007	Department of Electronics and Communication Engineering ANU College of Engineering & Technology, Acharya Nagarjuna University, Guntur, Nagarjuna Nagar-522510 Andhra Pradesh	No PhD & Poor Publication Record
8.	ETI-008	Department of Mechanical Engineering, GITAM Institute of Technology, GITAM University, Gandhi Nagar, Rushikonda, Visakhapatnam-530045 Andhra Pradesh	Not Recommended Ongoing project [ETI-295/2011] till Aug 2017. PhD Scholars not awarded fellowship.
9.	ETI-009	Department of Studies in Computer Science, University of Mysore, Manasagangotri, Mysore-570006 Karnataka	Not Recommended Poor Teaching & research
10.	ETI-010	Department of Food Engineering and Technology, Institute of Chemical Technology, Nathalal Parekh Road, Matunga, Mumbai-400019 Maharashtra	 No focus in the proposals. Mismatch between the projected and research activities in the Department.

11.	ETI-011	Department of Electronics and Communication Engineering, Amrita School of Engineering, Amrita Vishwa Vidayapeetham, Coimbatore-641112	Not Recommended Poor Publication record
12.	ETI-012	Department of ECE, PES University, 100 ft Ring Road, BSK III Stage, Bangalore-560085 Karnataka	Not Recommended Full time Research scholars not awarded fellowship; No PhD produced
13.	ETI-013	School of Electronics Engineering, VIT University, Chennai Campus, Vandalur-Kelambakkam Road, Chennai-600127 Tamil Nadu	Not Recommended Poor Publication record
14.	ETI-014	Department of Petroleum Studies, Z.H. College of Engineering and Technology, Faculty of Engineering & Technology, Aligarh Muslim University, Aligarh-202001 Uttar Pradesh	Inadequate Teaching performance in the Department. Lack of focus in the research and poor research publications.
15.	ETI-016	School of Management, NIT Rourkela, Rourkela-769008 Odisha	Not under the purview of FIST.
16.	ETI-017	Department of Computer Science & Engg, Sri Satya Sai University of Technology & Medical Sciences, Pachama, Sehore-466001 Madhya Pradesh	Not Recommended Only 3 faculty members with PhD.
17.	ETI-018	Department of ECE, Punjabi University, Patiala, Rajpura Road, Patiala-147002, Punjab	Not Recommended Inadequate research activities in the Department Poor Teaching performance in the Department.
18.	ETI-019	Department of Instrumentation and USIC, Gauhati University, GNB Nagar, Guwahati-781014 Assam	Not Recommended Only 2 faculty members with PhD.
19.	ETI-020	Department of Information Technology, SASTRA University, Tirumalaisamudram, Thanjavur-613401 Tamil Nadu	Not Recommended Less than 50 % Full time research scholars getting fellowship.
20.	ETI-021	Department of Manufacturing Engineering, College of Engineering Guindy, Anna University, Chennai-600025 Tamil Nadu	Not Recommended Poor Publication Record
21.	ETI-024	Department of ECE, Chitkara University Punjab, Punjab Campus, Rajpura-140401 Punjab	Not Recommended Poor Publication record
22.	ETI-027	Department of Mining Machinery Engineering, Indian School of Mines, Dhanbad-826004 Jharkhand	 Not Recommended Inadequate Research activities in the Department. Mismatch between the research activities and projected requirements.

23.	ETI-028	School of Electronics and Communication Engineering, Reva University, Rukmini Knowledge Park, Kattigenahalli, Yelahanka, Bengaluru-560064 Karnataka	Not Recommended Year of Establishment 2014 Full time Research scholars not awarded fellowships.
24.	ETI-029	Department of Electronics & Communication, Maulana Azad National Institute of Technology, Manit, Bhopal-462051, Madhya Pradesh	Not Recommended Poor focus in research and also mismatch in projections and research activities.
25.	ETI-030	Department of Computer Science & IT, Central University of Jammu, Bagla (Rahaya Suchani), Dist. Samba, Jammu-181143 Jammu & Kashmir	Only four faculty members with PhD Degree
26.	ETI-031	Department of Computer Engineering, Punjabi University, Patiala, Patiala-147002 Punjab	 Not able to justify the requirement. Lack of focus in presentation.
27.	ETI-032	Dept of Communication and Signal Processing, Dhirubhai Ambani Institute of Information and Communication Technology (DA-IICT), Near Indroda Circle, Gandhinagar-382007 Gujarat	Absent.
28.	ETI-033	Department of Management Studies, Anna University Regional Campus, Keelakuilkudi, Madurai-625019 Tamil Nadu	 Not Recommended Not under the purview of FIST Only four faculty members with PhD.
29.	ETI-034	Department of Oils, Oleochemicals & Surfactants Technology, Institute of Chemical Technology, Nathalal Parikh Marg, Matunga (East), Mumbai-400019 Maharashtra	Absent
30.	ETI-038	School of Computing Science & Engineering, VIT University Chennai Campus, Vandalur - Kelambakkam Road, Chennai-600127 Tamil Nadu	Lack of focus in the presentation. Justification provided was generic and not specific to the research activities.
31.	ETI-039	Centre for Nanoscience and Technology, Anna University, A.C. Tech. Campus, Chennai-600025 Tamil Nadu	Only 3 core faculty members, 2 members from the Crystal Growth Department
32.	ETI-040	Department of Dyestuff Technology, Institute of Chemical Technology (ICT), Nathelal Parekh Marg, Matunga, Mumbai-400019 Maharashtra	Only 3 core faculty members in the Department
33.	ETI-041	Department of Applied Science and Technology, Anna University, A.C. Tech Campus, Chennai-600025 Tamil Nadu	 Not Recommended Inadequate Research in the Department. Mismatch in the projected requirements and research activities. Poor Teaching performance.

34.	ETI-042	Department of Printing Technology, College of Engineering Guindy,	Not Recommended
		Anna University, Chennai-600025 Tamil Nadu	Only 3 faculty members with PhD
35.	ETI-043	Dept of Computer Science & Engineering,	Not Recommended
		University College of Engineering, Acharya Nagarjuna University, Guntur, Nagarjuna Nagar-522510 Andhra Pradesh	Only 2 faculty members with PhD
36.	ETI-044	Department of ETE,	Not Recommended
		Bharath University, 173-Agaram Road, Selaiyur, Tambaram, Chennai-600073 Tamil Nadu	Only 1 faculty members with PhD
37.	ETI-045	Department of Energy and Environment,	Not Recommended
		National Institute of Technology, Tiruchirappalli, Tiruchirappalli-620015 Tamil Nadu	Faculty from different departments. Core faculty members not present in the department.
38.	ETI-047	Department of Nanotechnology,	Not Recommended
		Visvesvaraya Technological University, Center for Postgraduate Studies, Bengaluru Region, Muddenahalli, Chikkaballapur-562101 Karnataka	No PhD Output and poor publication record
39.	ETI-048	Dept of Computer Science and Engineering	Not Recommended
		National Institute of Technology, Patna, Ashok Rajpath, Patna-800005 Bihar	Poor Publication record
40.	ETI-049	Department of Mechanical Engg.,	Not Recommended
		JNTU, College of Engineering, Ananthapuramu-515002 Andhra Pradesh	Poor Publication record
41.	ETI-050	Department of EEE,	Not Recommended
		Sathyabama Institute of Science & Technology, Sathyabama University,	Poor Publication record
		Jeppiaar Nagar, Rajiv Gandhi Salai,	No PhD & Poor Publication
		Chennai-600119 Tamil Nadu	Number of Full Time PhD research scholars
42.	ETI-051	Department of Metallurgical and Materials	with fellowship- NIL Not Recommended
		Engineering,	
		The M.S. University of Baroda, P.O. Box No. 51, Kalabhavan,	Lack of teaching performance.
		Vadodara-390001 Gujarat	 Inadequate Research activities and publications.
43.	ETI-052	Department of Electronics Engg., YMCA University of Science & echnology,	Not Recommended
		Sector-6, Faridabad-121006	Poor Publication record Number of F. II True PhD Proceeds a shadow
		Haryana	Number of Full Time PhD Research scholars - NIL
44.	ETI-053	Department of Computer Science and	Not Recommended
		Engineering, Dr. B.R. Ambedkar National Institute of	Poor Publication record
		Technology,	- 1 ooi 1 oblication record
		GT Road Bye-Pass, Jalandhar-144011 - Punjab	
L	<u> </u>	Janananar = 1 - 1 on ab	

	T ===: - = =		
45.	ETI-055	Department of Mechanical Engineering, Acharya Nagarjuna University, Guntur, Nagarjuna Nagar-522510 Andhra Pradesh	Only one faculty member with PhD.
46.	ETI-056	Department of Polymer and Petroleum Engineering, Maharashtra Institute of Technology, 124 Paud Road, Kothrud, Pune-411038 Maharashtra	No PhD Information about Full time PhD Scholars getting fellowship is not provided
47.	ETI-057	Department of ECE, Guru Jambheshwar University of Science & Technology, Hisar, Hisar-125001 Haryana	 Not Recommended Only 4 PhD Faculty Members in the Department.
48.	ETI-058	Department of ECE, Gauhati University, Gopinath Bordoloi Nagar, Guwahati-781014 Assam	Only one Faculty Member with PhD
49.	ETI-059	Department of Computer Applications, National Institute of Technology, Kurukshetra, Kurukshetra-136119 Haryana	Not Recommended Two Departments proposal and lack of focus
50.	ETI-061	Department of EEE, Koneru Laskhmaiah Education Foundation (K L University), Green Fields, Guntur Dist. Vaddeswaram-522002 Andhra Pradesh	Not Recommended Poor Publication record
51.	ETI-062	Centre for Computer Science and Technology, Central University of Punjab, City Campus, Mansa Road, Bathinda-151001 Punjab	Only 4 faculty members in the department, 2 with PhD Degree.
52.	ETI- 063	Department of Computer Science and Engineering, Indian School of Mines, Dhanbad-826004 Jharkhand	 Not Recommended Not able to justify the requirement. Lack of focus in presentation.
53.	ETI-064	Department of Electronic & Communication Technology, Gauhati University, Gopinath Bardoloi Nagar, Jalukbari, Guwahati-781014 Assam	Not Recommended Only four faculty member with PhD.
54.	ETI-065	Department of Civil Engineering, Manipal Institute of Technology, Manipal University, Manipal-576104 Karnataka	Not Recommended Poor Publication record
55.	ETI-066	Department of Chemical Engineering, Zakir Hussain College of Engineering & Technology, Aligarh Muslim University, Aligarh-202002 Uttar Pradesh	 Not Recommended Inadequate Teaching and Research performance in the Department. Poor number and quality of publications. Lack of focus in the proposal.

	T	1	T
56.	ETI-067	Department of Chemical Engg., Vignan's Foundation for Science, Technology and Research University, Vadlamudi, Chebrolu Mandal, Guntur-522213 Andhra Pradesh	 Not Recommended Only few Full Time PhD Scholars getting fellowship
57.	ETI-068	Department of CSE,	Not Recommended
		Vignan's Foundation for Science, Technology and Research University, Vadlamudi, Chebrolu Mandal, Guntur-522213 Andhara Pradesh	 Poor Publication record. Not able to justify the proposed need. Lack of focus in the objectives.
58.	ETI-070	Department of EEE, Anna University Regional Campus, Madurai, Kanyakumari National Highway, Keelakuilkudi, Madurai-625019	 Not Recommended Only 2 faculty members with PhD.
		Tamil Nadu	
59.	ETI-071	Department of Electrical & Instrumentation Engineering, Thapar University, Patiala-147004 Punjab	Not Recommended Poor Publication record
60.	ETI-072	Department of ECE,	Not Recommended
00.	2.1. 0, 2	Vignan's Foundation for Science, Technology and Research University, Vadlamudi (Post), Chebrolu Mandal, Guntur-522213 Andhra Pradesh	 Less than 50 % Full time PhD Scholars receiving Fellowship.
61.	ETI-073	Department of EEE,	Not Recommended
		Vignan's Foundation for Science, Technology and Research University, Vadlamudi (Post), Chebrolu Mandal, Guntur-522213 Andhra Pradesh	 Poor Publication record & 4 PhD Only one Full time PhD Scholar receiving Fellowship.
62.	ETI-074	Department of Instrumentation and Control Engineering Dr. B. R. Ambedkar National Institute of Technology, Jalandhar-144011 Punjab	 Not Recommended Inadequate research activities in the Department. Mismatch between proposed requirements and research activities.
63.	ETI-075	School of Electrical Engineering, VIT University, Chennai, Vandalur - Kelambakkam Road, Chennai-600127 Tamil Nadu	Poor Publication record
64.	ETI-077	School of EEE,	Not Recommended
	0,,	Reva University, Rukmini Knowledge Park, Kattigenahalli, Yelahanka, Bangalore-560064 Karnataka	 Only 3 faculty members in the department with PhD. No PhD Scholars in the department, no PhD produced
65.	ETI-078	Department of Mechanical Engineering,	Not Recommended
		S. V. National Institute of Technology, Ichchhanath, Surat-395007 Gujarat	 Lack of focus in the proposal. Mismatch between projected items and research activities.
66.	ETI-079	Department of Petroleum Technology, Dibrugarh University, P.O. Dibrugarh University, Dibrugarh-786004 Assam	 Not Recommended Poor performance in teaching and research activities in the Department. Lack of focus in the Department.
<u> </u>	1	<u> </u>	III III DOPOLIIIIOIII

67.	ETI-080	Department of Mechanical Engineering, Indian Institute of Information Technology, Melakottaiyur Post Office, Vandalur- Kelambakkam Road, Chennai-600127 Tamil Nadu	Not Recommended Poor Publication record
68.	ETI-081	Department of Civil Engineering, PEC University of Technology, Sector-12, Chandigarh-160012 Punjab	Poor Publication record
69.	ETI-082	School of Civil Engineering, Reva University, Rukmini Knowledge Park, Kattegenahalle, Yelankha, Bengaluru-560064 Karnataka	No Full Time PhD Scholars getting fellowships
70.	ETI-083	School of Computing Science and Engineering, VIT University, Vellore-632014 Tamil Nadu	Not able to justify the requirements Lack of focus in the presentation
71.	ETI-085	School of Civil & Chemical Engineering, VIT University, Vellore-632014 Tamil Nadu	Not Recommended Inadequate research performance in the school. De-focused in the objectives of proposal.
72.	ETI-086	Department of Computer Science, Periyar University, Periyar Palkalai Nagar, Salem-636011 Tamil Nadu	Not Recommended Proposal with the projected equipment is applied to an inappropriate Subject area.
73.	ETI-087	Department of Mechanical and Manufacturing Engineering, Manipal Institute of Technology, Manipal University, Manipal-576104 Karnataka	Not Recommended Poor Publication record
74.	ETI-088	Department of Civil Engineering, Koneru Lakshmaiah University (K L University), Green Fields, Guntur Dist., Veddeswaram-522502 Andhra Pradesh	 Not Recommended Poor research merit, Few PhDs with Fellowship
75.	ETI-089	Department of Mechanical Engineering, YMCA University of Science & Technology, Delhi-Mathura Road, Sector-6, Faridabad-121006 Haryana	 Not Recommended Poor Publication record Full Time PhD Scholars getting fellowship-Nil
76.	ETI-090	Department of ECE, GITAM Institute of Technology, GITAM University, Gandhi Nagar, Rushikonda, Visakhapatnam-530045 Andhra Pradesh	 No Full Time PhD Scholars getting fellowship
77.	ETI-092	Department of Robotics and Automation, School of ECE, Reva University, Rukmini Knowledge Park, Kattigenahalli, Yelahanka, Bengaluru-560064 Karnataka	No Full Time PhD Scholars awarded fellowship
78.	ETI-093	Department of Wireless Sensor Networks, School of ECE, Reva University, Rukmini Knowledge Park, Kattigenahalli, Yelahanka, Bengaluru-56006 Karnataka	No Full Time PhD Scholars awarded fellowship

79.	ETI-094	Department of Electrical Engineering, YMCA University of Science & Technology, Delhi-Mathura Road, Sector-6, Faridabad-121006 Haryana	No PhD students PG Program is self financed
80.	ETI-095	Department of Computer Engineering, YMCA University of Science & Technology, Delhi- Mathura Road, Sector-6, Faridabad-121006 Haryana	Absent
81.	ETI-096	Department of Electronics and Communication, SRM University, Chennai, Tech Park, KPM Dist., Kattankulathur-603203 Tamil Nadu	Information on Full Time PhD Scholars receiving fellowship not provided in the proposal.
82.	ETI-097	Faculty of Mechanical Engineering, Sathyabama University, Rajiv Gandhi Salai, Jappiaar Nagar, Shollinganallur, Chennai-600119 Tamil Nadu	Full time PhD Scholars awarded fellowship-NIL
83.	ETI-098	Department of Electronics & Communication Engineering, National Institute of Technology Hamirpur, Hamirpur-177005 Himachal Pradesh	Not Recommended Inadequate Teaching and Research focus. Requested projection mismatched with Teaching and Research as well
84.	ETI-099	School of Civil Engineering, SASTRA University, Thirumalaisamudram, Thanjavur-613401 Tamil Nadu	Not Recommended Less than 50 % Full time research scholars getting fellowship.
85.	ETI-100	Department of Electronics Engineering, Indian Institute of Information Technology, Melakkottaiyur, Chennai-600127 Tamil Nadu	Poor Publication record
86.	ETI-101	School of Mechanical Engineering, SASTRA University, Tirumalaisamudram, Thanjavur-613401 Tamil Nadu	Poor Publication record
87.	ETII-001	Center for Nano Science and Technology, Jawaharlal Nehru Technological University Kukatpalli, Hyderabad-500085 Telangana	Not Recommended Inadequate Research focus in the proposal. Poor teaching performance in the department.
88.	ETII-002	Department of Information Technology, MIT Campus, Anna University, Chromepet, Chennai-600044 Tamil Nadu	Not Recommended Review Rating less than very Good, Cooling off period not over
89.	ETII-003	Department of Textile Technology, Alagappa College of Technology, Anna University, Sardar Patel, Guindy, Chennai-600025 Tamil Nadu	Not Recommended Review Rating less than very Good, Cooling off period not over
90.	ETII-004	Department of Textile Technology, Indian Institute of Technology, Delhi Hauz Khas, New Delhi-110016	 Not Recommended Lack of focus in the presentation Not able to justify the research objectives

91.	ETII-006	Division of Agricultural Engineering, CAR- Indian Agricultural Research Institute, Pusa, New Delhi-110012 Delhi	Not Recommended
			Not under the purview of FIST
92.	ETII-008	Department of Computational and Data Sciences (CDS), Indian Institute of Science, Bengalore-560012 Karnataka	 Not Recommended Poor Publication record and lack of focus
93.	ETII-009	Department of Mechanical Engineering, Indian Institute of Technology Guwahati, Guwahati-781039 Assam	 Not Recommended Poor presentation and lack of focus Not able to justify the research objectives
94.	ETII-010	Centre for Environmental Studies, College of Engineering Guindy, Anna University, Chennai-600025 Tamil Nadu	Not Recommended Cooling off period not over review rating less than Very Good
95.	ETII-O11	Department of Electrical Engineering, Delhi Technology University, Shahbad Daulatpur, Bawana Road, Delhi-110042	Poor Publication record and lack of focus
96.	ETII-013	Department of Electrical Communication Engineering, Indian Institute of Science, Bengalore-560012 Karnataka	 Not Recommended Lack of focus in the presentation Not able to justify the research objectives
97.	ETII-014	Department of Chemical Engineering, Indian Institute of Technology, Roorkee, Roorkee-247667 Uttarakhand	Review rating less than very good and cooling off period not over.
98.	ETII-015	Dept of Computer Science and Engineering, Tezpur University, P.O. Napaam, Dist. Sonitpur, Tezpur-784028 Assam	Absent
99.	ETII-016	Dept of Industrial & Production Engineering, Dr. B. R. Ambedkar National Institute of Technology, Jalandhar, G.T Road Bye Pass. P.O. NIT, Jalandhar-144011 Punjab	Not Recommended Poor Publication record
100.	ETII-017	Department of Architecture, Bharat Institute of Higher Education and Research, 173, Agaram Road, Selaiyur, Tambaram, Chennai-600073 Tamil Nadu	No faculty member with PhD Poor Publication record
101.	ETII-018	Department of Information Technology, Bharat Institute of Higher Education & Research, 173, Agaram Road, Selaiyur, Tambaram, Chennai-600073 Tamil Nadu	Only 3 faculty members with PhD.
102.	ETII-019	Department of Civil Engineering, Z.H. College of Engg. & Technology, Aligarh Muslim University, Aligarh-202002 Uttar Pradesh	Lack of Research focus in the proposal. Inadequate Teaching performance of the Department.
103.	ETII-021	Department of Electrical Engineering, NIT Warangal, Warangal-506004 Telengana	Poor Publication

		_	
104.	ETII-024	Department of Chemical Engineering, National Institute of Technology,	Not Recommended
		Tiruchirapalli,	 Lack of focus in the presentation
		Tiruchirapalli-620015	 Inadequate research activities in the
		Tamil Nadu	Department
105.	ETII-025	Department of Production Engineering, National Institute of Technology,	Not Recommended
		Tiruchirappalli-620015	Review rating less than very good, Cooling
		Tamil Nadu	off period is not over
106.	ETII-026	Department of CSE, ECE and IT,	Not Recommended
100.	L111-020	University Institute of Engineering and	Lack of focus and poor publication record.
		Technology,	
		Panjab University South Campus, Sector-25,	Multi-department Proposal from Computer States Fraction Floatestan
		Chandigarh-160014	Science Engineering, Electronics
			Communication Engineering & Information
107.	ETII-027	Development of Marchanical Francisconica	Technology Department.
107.	E111-U2/	Department of Mechanical Engineering,	Not Recommended
		Anna University, Chennai-600025	
		Tamil Nadu	Mismatch between the projected needs and
		Tallili 14ddo	the research activities in the Department
			Defocused presentation by the Department.
108.	ETII-028	Department of Electronics and	Not Recommended
		Communication Engineering,	
		Thapar University, Patiala (Punjab),	 Less than 50% Full time PhD students getting
		P.O. Box 32,	fellowship
		Patiala-147004	
		Punjab	
109.	ETII-031	Department of Electrical Engineering,	Not Recommended
		Indian Institute of Engineering Science and	
		Technology, Shibpur,	Poor Publication
		P.O. Botanic Garden,	3 times the Department came for
		Howrah-711103	presentation but remains unsuccessful.
		West Bengal	

FIST 2016 Program: Non-recommended proposals under Earth & Atmospheric Sciences

Sr. No.	Temp File No	Name of the Department and address	Remarks
1.	ESI-002	Department of Environmental Sciences, Central University of Jammu, Bagla (Rahya Suchaini), Dist. Samba-181143 Jammu and Kashmir	Inadequate research output from the Department in the form of publications, PhD. Lack of focus on research objectives
2.	ESI-004	School of Environment & Sustainable Development, Central University of Gujarat, Sector- 30, Gandhinagar-382030 Gujarat	Inadequate output in M.Sc. and PhD Lack of focus in the proposal.
3.	ESI-008	Institute for Ocean Management, Anna University, Koodal Building, CEG Campus, Chennai-600025 Tamil Nadu	Only two core faculty members in the department
4.	ESII-002	Department of Applied Geology, Dibrugarh University, Dibrugarh-786004 Assam	Mid-term Review rating less than 'Very Good; Cooling off period of 2 years not over
5.	ESII-007	Department of Earth Sciences, Annamalai University, Annamalainagar-608002 Tamil Nadu	Weak research proposal No adequate justification for equipment

FIST 2016 Program: Non-recommended proposals under Mathematical Sciences

S. No.	Temp File No	Name of the Department and Address	Remarks
1.	MSI-001	Department of Mathematics, Indira Gandhi University, Meerpur, Rewari-123 Haryana	Not recommended Only 3 faculty members with PhD
2.	MSI-004	Department of Applied Mathematics, GITAM Institute of Science, GITAM University, Gandhinagar Campus, Rushikonda, Visakhapatnam-530045 Andhra Pradesh	Not recommended Less than50 % full time PhD scholars with fellowships
3.	MSII-001	Department of Mathematics, Indian Institute of Technology Patna, Patna-801103 Bihar	No clarity in the proposal Weak justification of the proposed items in the proposal
4.	MSII-002	Department of Statistics, Acharya Nagarjuna University, Guntur, Nagarjuna Nagar-522510 Andhra Pradesh	No clarity in the proposal No information on the breakup of the items required under different budget heads
5.	MSII-003	Department of Mathematics, Bharath Institute of Higher Education and Research, 173, Agaram Road, Selaiyur, Tambaram, Chennai-600073 Tamil Nadu	Only 4 faculty members with PhD Information on full time PhD scholars and source of fellowship not provided

FIST 2016 Program: Non-recommended proposals under PG Colleges

S. No.	Temp File no	Name of the College and address	Remarks
1.	College- 001	Khandesh College Education Society's Moolji Jaitha College,	Not Recommended
		Jilha Peth, Near Prabhat Chowk, Jalgaon-425002 Maharashtra	Less than minimum faculty with PhD. Same as College -071/2016
2.	College- 003	Sri Venkateshwara College of Engineering , Karakambadi Road,	Not Recommended
		Tirupati-517507 Andhra Pradesh	(Inadequate Research activities in the College)
3.	College- 008	Vasantrao Naik Mahavidyalaya, Airport Road, Aurangabad-431003 Maharashtra	Not Recommended Poor research profile Inadequate publications
4.	College- 009	Lakireddy Bali Reddy College of Engineering, L.B. Reddy Nagar, Krishana (District), Mylavaram-521230	Mot Recommended (Mismatch between the research activities and requirements projected
5.	College- 019	Andhra Pradesh Thangavelu Engineering College, Rajiv Gandhi Salai, (OMR Road), Karapakkam, Chennai-600097	by the College). Not Recommended Less than minimum faculty with PhD.
6.	College- 021	Tamil Nadu SIES College of Arts, Science and Commerce, Plot number 83/84&106/107, Jain Society Sion (West), Mumbai-400022	Not Recommended Less than minimum faculty with PhD.
7.	College- 022	Maharashtra St. Xavier's College, P.O. Thumba, Trivandrum-695586	Not Recommended Less than minimum faculty with PhD.
8.	College- 023	Kerala Dapoli Urban Bank Senior Science College, Opposite Dr. Mandlik Hospital, Dapoli, Dist. Ratnagiri-415712	Not Recommended (Inadequate research activities and
9.	College- 024	Maharashtra Mula Education Society's Arts, Commerce and Science College, A/P- Sonai, Tal-Newasa, Dist- Ahmednagar-414105 Maharashtra	publications from the College) Not Recommended Less than minimum faculty with PhD.
10.	College- 025	Akole Taluka Education Society's Agasti Arts, Cinnerce and Dadasaheb Rupwate Science College, Tal. Akole, Dist- Ahmednagar-422601 Maharashtra	Not Recommended Less than minimum faculty with PhD.
11.	College- 026	Valliammai Engineering College, SRM Nagar, Kanchipuram District, Kattankulathur-603203 Tamil Nadu	Not Recommended (Inappropriate research publications from the College).
12.	College- 028	Govt. P.G. College, Sector-01, Panchkula-134109 Haryana	Not Recommended Less than minimum faculty with PhD.

13.	College- 029	Amrita Sai Institute of Science and Technology, Paritala (PO), Kanchikacherla (MdI), Krishna (Dt)-521180	Not Recommended (Lack of focus in the research activities
		Andhra Pradesh	in the College).
14.	College- 030	Progressive Education Society's Modern College of Pharmacy,	Not Recommended
		Sector No. 21, Yamunanagar, Nigdi, Pune-411044 Maharashtra	Less than minimum faculty with PhD.
15.	College-	Marri Laxman Reddy Institute of Technology	Not Recommended
	032	and Management, Dundigal (V), Quthbullapur (M), Ranga Reddy (Dist.), Hyderabad-500043 Telangana	(Inadequate research activities in the College and poor presentation by the College).
16.	College- 036	Muthayammal College of Arts & Science, Kakkaveri (PO), Namakkal (Dt),	Not Recommended
	030	Rasipuram-637408 Tamil Nadu	Less than minimum faculty with PhD.
1 <i>7</i> .	College- 037	Sengamala Thayaar Educational Trust Women's College,	Not Recommended
		Sundarakkottai, Mannargudi-614016 Tamil Nadu	Less than minimum faculty with PhD.
18.	College- 041	Raghavendra Institute of Pharmaceutical	Not Recommended
	041	Education and Research (RIPER), Saigram, KR Palli Cross, Chiyyedu Post, Near SK University, Anantapuramu (RURAL MANDAL)-515721 Andhra Pradesh	(Mismatch between the requirements and research activities in the College. Inappropriate research performance in terms of publications).
19.	College-	Amal Jyoti College of Engineering,	Not Recommended
	042	Koovappally P.O.,Kanjirappally, Kottayam Dst686518 Kerala	Application is for a very specified research proposal; outside scope of FIST support.
20.	College-	Dadapatil Rajale Arts and Science College,	Not Recommended
	047	Adinathnagar, Tal. Pathardi, Dist. Ahmednagar-414505 Maharashtra	Less than minimum faculty with PhD.
21.	College- 048	Centre for Development of Advanced	Not Recommended
	040	Computing (C-DAC), A-34 Industrial Area, Phase VIII, Mohali-160071 Chandigarh	Centre is categorized as a Society under Ministry of Communication & IT. Outside purview of FIST support.
22.	College-	Prasad V. Potluri Siddhartha Institute of	Not Recommended
	050	Technology, Kanuru, Vijaywada-520007 Andhra Pradesh	(Inadequate research activities in the College).
23.	College- 051	Vel Tech High Tech Dr. Rangarajan Dr.	Not Recommended
	031	Sakunthala Engineering College, #60, Avadi-Vel Tech Road, Vellanur, Avadi, Chennai-600062 Tamil Nadu	NBA accreditation over in 2011
24.	College-	D.K.M. College for Women,	Not Recommended
	052	Sainathapuram, Vellore-632001 Tamil Nadu	(Poor research output in last 5 years. No focus in research during presentation).

25.	College- 053	Indian Spinal Injuries Centre, Institute of Rehabilitation Sciences,	Not Recommended
		Indian Spinal Injuries Centre, Sector-C, Vasant Kunj, New Delhi-110070	No faculty with PhD.
26.	College- 054	Union Christian College, Aluva-683102	Not Recommended
		Kerala	Current Project (College-005 / 2009) tenure would be over in September, 2016
27.	College- 055	Sree Vidyanikethan College of Pharmacy, Sree Sainatha Nagar, A. Rangampet (Near Tirupati), Chandragiri Mandal, Chittoor Dist517102 Andhra Pradesh	No NAAC or any other agency accreditation
28.	College- 057	Annamacharya Institute of Technology and Sciences, New Boyanapalli, Rajampet, Kadapa (Dt)-516126 Andhra Pradesh	Not Recommended (This is more of individual centric proposal for 3 Faculty Members separately on Smart Grid, Embedded System and Engine related)
29.	College- 058	QIS College of Engineering & Technology, Pondur Road, Vengamukkapalem, Ongole, Prakasam-523272 Andhra Pradesh	Mot Recommended (Mismatch between the requirements and the research activities in the Department. Lack of focus in research in the proposal).
30.	College- 059	St. Joseph's College of Engineering, Old Mamallapuram Road, Chennai-600119 Tamil Nadu	Not Recommended (This is more of individual centric proposal on IoT and Cloud Computing)
31.	College- 060	Rajarajeswari Dental College and Hospital, No.14, Ramohalli Cross, Kumbalgodu, Mysore Road, Bangalore-560074 Karnataka	Not Recommended (This is appeared to be Clinical Service support requested by the College. Hence it is beyond the scope of evaluation under LO category: College as a Whole)
32.	College- 061	Raghunath Girl's Post Graduate College, Western Kutchery Road, Meerut-250001 Uttar Pradesh	Absent
33.	College- 063	Mahatma Phule Arts, Science and Commerce College, Tal. Panvel, Dist. Raigad-410206 Maharashtra	NAAC over in 2015; Needs reaccreditation
34.	College- 064	Pocker Sahib Memorial Orphanage College (PSMO College), Tirurangadi, Malappuram-676306 Kerala	Not Recommended Less than minimum faculty with PhD
35.	College- 065	Rathinam College of Arts and Science, Rathinam Tech Zone Campus, KPM Nagar, Pollachi Road, Eachanari, Coimbatore-641021 Tamil Nadu	Not Recommended Less then minimum faculty with PhD.

36.	College- 066	B.V. Bhoomaraddi College of Engineering and Technology, Vidyanagar, Hubli-580031 Karnataka	NBA over in 2013; Needs re-accreditation
37.	College- 067	St. John's College, Water Tank Road, Near SP Office, Tirunelveli, Palayamkottai-627002 Tamil Nadu	NAAC - 2002 has expired. Re-accreditation is yet to be done
38.	College- 068 & College- 098	Saveetha Engineering College, Saveetha Nagar, Thandalam, Chennai-602105 Tamil Nadu	Not Recommended (Inadequate research activities in the College. Poor research output in respect of publications).
39.	College- 069	Government College of Engineering, Vidyanagar, Karad, Dist. Satara-415124 Maharashtra	Not Recommended Less than minimum faculty with PhD.
40.	College- 070	Smt. Kusumtai Rajarambupu Patil Kanya Mahavidyalaya (Arts, Comm. & Sci.), Islampur, Near Shirala Naka, Tal- Walwa, Dist. Sangli-415409 Maharashtra	Not Recommended No faculty with PhD.
41.	College- 071	Khandesh College Education Society's Moolji Jaitha College, Jilha Peth, Near Prabhat Chowk, Jalgaon-425002 Maharashtra	Not Recommended Less than minimum faculty with PhD.
42.	College- 072	K.M.E. Society's G. M. Momin Women's College, Rais High School Campus, Thana Road, Bhiwandi, Dist. Thane-421302 Maharashtra	Not Recommended Less than minimum faculty with PhD.
43.	College- 073	Institute of Aeronotical Engineering, Dhudigal, Hyderabad-500043 Telangana	Not Recommended Less than minimum faculty with PhD.
44.	College- 074	Easwari Engineering College, Bharathi Salai, Ramapuram, Chennai-600089 Tamil Nadu	Not Recommended (Lack of adequate research output in the College).
45.	College- 076	Sri Venkateswara College of Engineering & Technology, RVS Nagar, Tirupati Road, Chittoor-517127 Andhra Pradesh	Not Recommended (Mismatch between the projections and research activities. Poor research performance in research in the College).
46.	College- 077	Gobi Arts & Science College, Karattadipalayam, Gobichettipalayam, Erode District-638453 Tamil Nadu	NAAC - 2002 has expired. Re-accreditation is yet to be done
47.	College- 078	Sree Narayana College, Kollam-691001 Kerala	NAAC - 2002 has expired. Re-accreditation is yet to be done

48.	College- 080	Kumaraguru College of Technology, Chennavedampatti,	Not Recommended
		Coimbatore-641049 Tamil Nadu	Less than minimum faculty with PhD.
49.	College- 081	Adhiparasakthi Engineering College, Kancheepuram District,	Not Recommended
	001	Melmaruvathur-603319 Tamil Nadu	Less than minimum faculty with PhD.
50.	College- 082	M.C.E. Society's Allana College of Pharmacy, 2390- B.K.B. Hidaatullah Road, Azam	Not Recommended
	001	Campus, Camp, Pune-411001 Maharashtra	No NAAC / NBA Less than minimum faculty with PhD.
51.	College-	Devanga Arts College,	Not Recommended
	083	801, Thiruchuli Road, Virudhunagar, Dist.Aruppukottai-626101 Tamil Nadu	Less than minimum faculty with PhD. NAAC needs re- accreditation
52.	College-	Jubilee Mission Medical College & Research	Not Recommended
	085	Institute, Jubilee Mission P.O.,	No NAAC / NBA
		Thrissur-680005 Kerala	Less than minimum faculty with PhD.
53.	College-	Government Arts College,	Not Recommended
	087	Rajaji Nagar, Ariyalur-621713 Tamil Nadu	NAAC up to 2005; needs re-accreditation
54.	College-	Vasireddy Venkatadri Institute of Technology,	Not Recommended
	088	Nambur (V), Pedakakani (M), Guntur-522508	
55.	College-	Andhra Pradesh Muthayammal Engineering College,	Less than minimum faculty with PhD. Not Recommended
00.	094	Kakaveri, Rasipuram, Namakkal-637408	Less than minimum faculty with PhD.
56.	College-	Tamil Nadu Central Institute of Plastics Engineering &	Not Recommended
	095	Technology (CIPET), B/25, CNI Complex, Patia, Dist- Khurda, Bhubaneswar-751024 Orissa	Applied in wrong format
57.	College-	Bannari Amman Institute of Technology,	Not Recommended
	097	Alathukombai - Post, Erode district, Sathyamangalam-638401 Tamil Nadu	This College has been supported in FIST-2015 (College-288/ 2015)
58.	College-	Priyamvada Birla Cancer Research Institute,	Not Recommended
	099	P. O. Birla Vikas, Satna-485005 Madhya Pradesh	Only 3 Faculty Members No Academic Program
59.	College-	Sethu Institute of Technology,	Not Recommended
	100	Kariapatti Taluk, Virudhunagar District., Pulloor-626115 Tamil Nadu	Less than minimum faculty with PhD.
60.	College-	M.S. Ramaiah Institute of Technology,	Not Recommended
		MSR Nagar, MSRIT Post, Bangalore-560054 Karnataka	Applied in wrong format
61.	College-	Mepko Schlenk Engineering College,	Not Recommended
	102	Amathur, Virudhunagar-626005 Tamil Nadu	Applied in wrong format

40	Callaga	A Function and Calle to	Not Decemended
62.	College-	Assam Engineering College,	Not Recommended
	103	Jalukbari,	6
		Guwahati-781013	Current Project tenure is till Feb' 2017
		Assam	(College-038/2010)
63.	College-	Dayananda Sagar College of Engineerng,	Not Recommended
	105	Shavige Malleswara Hills, Kumaraswamy	
		Layout,	
		Bangalore-560078	Application in wrong format
		Karnataka	
64.	College-	Gopal Krishna Gokhle College,	Not Recommended
	106	B Ward, Subhash Road,	
		Kolhapur-416012	Application in wrong format
		Maharashtra	
65.	College-	Balwant College,	Not Recommended
	107	Vita, Tal. Khanapur, Dist. Sangli,	
		Vita-415311	(Inadequate research performance in
		Maharashtra	the College. Presentation was de-
			focussed).
66.	College-	Dr. Ambedkar Institute of Technology,	Not Recommended
	110	Mallathalli,	
		Near Jnana Bharathi Campus BDA Outer	
		Ring Road,	Less than minimum faculty with PhD.
		Bangalore-560056	, i
		Karnataka	
67.	College-	Samskruti College of Pharmacy,	Not Recommended
	112	Kondapur Village, Ghatkesar Mondal, R.	
		R. Dist.,	
		Hyderabad-501301	No NAAC / NBA or any other agency
		Telangana	accreditation
68.	College-	Er. Perumal Manimekalai College of	Not Recommended
00.	113	Engineering,	- Itor Recommended
	110	NH-7, 17th KM, Hosur - Krishnagiri	
		Highways, Nallaganakothapalli, Near	Applied in wrong format
		Koneripalli, Krishanagiri District,	Less than minimum faculty with PhD.
		Hosur-635117	Less man minimon racony with The.
		Tamil Nadu	
69.	College-	Somaiya Vidyavihar,	Not Recommended
07.	115	Somaiya Bhavan, Near Fountain And	1401 Recommended
	113	Kitab Khana,	
		Mumbai-400071	Applied in wrong format
		Maharashtra	Applied in wrong formal
70.	College-	Vignan Institute of Technology and Science,	Not Recommended
70.	117	Vignan Hills, Deshmukhi (P.O.),	Not Recommended
	' ' '	Pochampally (Mandal),	
		Nalgonda (D.T.)-508284	Less than minimum faculty with PhD.
		Andhra Pradesh	Less man minimon racony with Thib.
71.	Collogo		Net Posemmondod
/ 1.	College- 118	Vignan Institute of Pharmaceutical Technology, Beside VSEZ, Duvvada, Vadlapurdi Post,	Not Recommended
	110	Gajuwaka,	
		Visakhapatnam-530049	Only ISO certified
		Andhra Pradesh	Only 13O certified
	1		
72.	College-	Dr. Ambedkar Institute of Technology,	Not Recommended
	120	Near Jnana Bharati Campus,	
		Bengaluru-560056	Application in wrong format
		Karnataka	
<i>7</i> 3.	College-	P.E.S. College of Engineering,	Not Recommended
	121	University Road, Near Pan Chakki,	
	i	Nagsenvana,	
		Aurangabad-431005	Application in wrong format Private
			Application in wrong format Private

74.	College- 122	Sullamussalam Science College, Areacode, Ugrapuram (PO), Areekode, Malappuram-673639 Kerala	Not Recommended Less than minimum faculty with PhD.
75.	College- 123	Nandha College of Technology, Perundurai Main Road, Pitchandampalayam, (P.O.), Erode-638052 Tamil Nadu	Not Recommended Less than minimum faculty with PhD.
76.	College- 124	Chalapathi Institute of Pharmaceutical Sciences, Chalapathi Nagar, Lam, Guntur-522034 Andhra Pradesh	Not Recommended Less than minimum faculty with PhD.
77.	College- 126	Karpagam College of Engineering, Mylleripalayam - Village, Othakkalmandapam, Coimbatore-641032 Tamil Nadu	Not Recommended Applied in wrong format
78.	College- 127	ACS College of Engineering, #207, Kambipura, Mysore Road, Bangalore-560074 Karnataka	Not Recommended Applied in wrong format
79.	College- 128	Vishwabharthi Academy's College of Engineering, Sarola Baddi, Jamkhed Road, Ahmednagar-414201 Maharashtra	Not Recommended Only 01 faculty with PhD. Applied for NAAC accreditation
80.	College- 130	S.R.E.S's Sanjivani College of Engineering, At: Sahajanandnagar, Post: Shingnapur, Tal - Kopargaon, Dist- Ahmednagar-423603, Maharashtra	Not Recommended Applied in wrong format
81.	College- 132	Jorhat Engineering College, Garmur, Jorhat, Jorhat-785007 Assam	Not Recommended Application in wrong format
82.	College- 133	Jankidevi Bajaj College of Science, Jamnalal Bajaj Marg, Civil Lines, Wardha-442001 Maharashtra	Not Recommended Poor student strength Poor research profile
83.	College- 135	PES College of Pharmacy, Hanumanthanagar, Bengaluru-560050 Karnataka	Not Recommended Application in wrong format
84.	College- 136	PES College of Pharmacy, 50 ft. Road, Hanumanthanagar, BSK I Stage, Bengaluru-560050 Karnataka	Not Recommended Application in wrong format
85.	College- 137	Shri Vishnu College of Pharmacy, Tadepalligudem Road, Kovvada Annavaram, West Godavari Dist., Bhimavaram-534202 Andhra Pradesh	Not Recommended (Inappropriate research activities in the College. No research focuses during presentation).
86.	College- 138	GMR Institute of Technology, GMR Nagar, Srikakulam District, Rajam-532127 Andhra Pradesh	Mot Recommended (Mismatch between the projected requirements and the research activities in the College).

87.	College- 139	Raja Rajeswari College of Engineering, #14, Ramohalli Cross, Kumbalagodu,	Not Recommended
		Bengaluru-560074 Karnataka	Applied in wrong format
88.	College-	St. Judes College, Kanyakumari District,	Not Recommended
		Thoothoor-629176 Tamil Nadu	Applied in wrong format
89.	College-	Guru Nanak Institutions Technical Campus, Khanapur (v), Ibrahimpatnam (Mondal),	Not Recommended
		R.R. Dist501506 Telangana	(Poor publications in the College. Inadequate research activities.)
90.	College-	Raja Rajeswari College of Engineering, Mysore Road,	Not Recommended
		Bangalore-560074 Karnataka	Application in wrong format
91.	College-	Adina Institute of Pharmaceutical Sciences, Opposite of J.L. Nehru Agriculture	Not Recommended
		Research Center, NH 86-Bhopal Road, Sagar-470002 Madhya Pradesh	No NAAC / NBA or any other agency accreditation
92.	College-	Laki Reddy Bali Reddy College of Engineering,	Not Recommended
	147	L.B. Reddy Nagar, Mylavaram-521230 Andhra Pradesh	Applied in wrong format
93.	College-	Government Engineering College, Hassan-573201	Not Recommended
	140	Karnataka	Less than minimum faculty with PhD.
94.	College-	Francis Xavier Engineering College,	Not Recommended
	149	103-G2 Bye Pass Road, Vannarpettai,	NBA re-accreditation needed less than
		Tirunelveli-627003 Tamil Nadu	minimum faculty with PhD.
95.	College- 150	St. Philomena College, Centre for PG Studies and Research,	Not Recommended
	130	Philonagar, Darbe, Puttur-574202 Karnataka	Less than minimum faculty with PhD.
96.	College- 152	Raja Rajeswari College of Engineering, #14, Ramohalli Cross, Kumbalagodu, Bengaluru-560074	Not Recommended
		Karnataka	Applied in wrong format
97.	College- 153	Shri Ramdeobaba College of Engineering and Management, Ramdeo Tekdi, Gittikhadan, Katol Road,	Not Recommended
		Nagpur-440013 Maharashtra	Applied in wrong format
98.	College- 154	New Horizon College of Engineering, Ring Road, Near Marathalli, Bellandur Post,	Not Recommended
		Bengaluru-560103 Karnataka	Applied in wrong format
99.	College-	New Horizon College of Engineering,	Not Recommended
	156	Ring Road, Kadubeesanahalli, Bellandur Post, Near Marathahalli, Bengaluru-560103	Application in wrong format
		Karnataka	

100.	College- 1 <i>57</i>	New Horizon College of Engineering, Ring Road, Kadubeesanahalli, Bellandur Post, Near Marathahalli, Bengaluru-560103 Karnataka	Not Recommended Application in wrong format
101.	College- 158	New Horizon College of Engineering, Ring Road, Kadubeesanahalli, Bellandur Post, Near Marathahalli, Bengaluru-560103 Karnataka	Not Recommended Application in wrong format
102.	College- 159	Velammal College of Engineering and Technology, Velammal Nagar, Madurai to Rameshwaram High Road, Viraganoor, Madurai-625009 Tamil Nadu	Not Recommended Application in wrong format
103.	College- 160	S.A. Engineering College, Poonamallee - Avadi Road, Thiruverkadu Post, Chennai-600077 Tamil Nadu	Not Recommended Supported in 2014 Current Project tenure is till 2020 (College-239/2014)
104.	College- 161	S.B.V.P. Samaj's, Sahakar Maharshi Bhausaheb Santuji Thorat College of Arts, Science & Commerce, Near, Sangamner Nagarpalika Water Tank, Nashik-Pune Highway, Dist- Ahmednagar, Sangamner-422605 Maharashtra	Not Recommended Poor student output record Inadequate teaching profile
105.	College- 164	S.T.J. Institute of Technology, P. B. Road, STJ IT Campus, Ranebennur-581115 Karnataka	Not Recommended Less than minimum faculty with PhD.
106.	College- 165	St. John's Medical College and Hospital, Sarajapur Road, John Nagar, Bangalore-560034 Karnataka	Not Recommended Application in wrong format
107.	College- 166	Chadalawada Ramanamma Engineering College, Chadalawada Nagar, Renigunta Road, Tirupati-517506 Andhra Pradesh	Not Recommended Less than minimum faculty with PhD.
108.	College- 167	Chaitanya Postgraduate College, Kakatiya University, 5-11-43/1, Kishanpura, Hanamkonda, Warangal-506001 Telangana	Not Recommended Application in wrong format
109.	College- 168	Raja Rajeswari College of Engineering, Ramohalli Gate, Kumbalgodu (PO), Off Mysore Road, Bangalore-560074 Karnataka	Not Recommended Application in wrong format. Year of Commencement of P. G. Program not provided
110.	College- 169	Kongu Engineering College, Perindurai, Erode-638052 Tamil Nadu	Not Recommended Applied in wrong format
111.	College- 170	Raja Rajeshwari College of Engineering, Mysore Road, Bangalore-560074 Karnataka	No P.G. Program. Applied in wrong format.

113. College- 173 Indian Institute of Engineering and Technology, Bachupally, Kukatpally, Hyderabad-500090 184. College- 174 Indian Institute of Plastics Engineering and Technology, Bachupally, Kukatpally, Hyderabad-500090 185. College- 176 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I Stage, Bengaluru-560050 Karnataka 116. College- 177 College- 178 College- 179 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka 1170 College- 175 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka 1170 College- 175 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka 1170 College- 177 PES College of Pharmacy, 50ft Road, Hanumanthanagar, BSK I Stage, Bengaluru-560050 Karnataka 1170 College- 177 College- 178 College- 179 PES College of Pharmacy, 50ft Road, Hanumanthanagar, BSK I- Stage, Bengaluru-560050 Karnataka 118. College- 179 College- 179 Contral Institute of Plastics Engineering and Technology (CIPET), TVK Industrial Estate, Guindy, Chennai-600032				
Vidyanagar, Hubballi-580031 Karnataka 113. College- 172 Gokaraju Rangaraju Institute of Engineering and Technology, Bachupally, Kukatpally, Hyderabad-500909 Telangana 114. College- 173 Indian Institute of Public Health, Gandhinagar, Sardar Patel Institute Campus, Drive-In Road, Thaltei, Ahmedabad-380054 Gujarat 115. College- 174 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I Stage, Bengaluru-560050 Karnataka 116. College- 175 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka 117. College- 176 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka 117. College- 176 PES College of Pharmacy, 50ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka 118. College- 177 Central Institute of Plastics Engineering and Technology (CIPET), TVK Industrial Estate, Guindy, Chennai-600032	112.	College-	B.V. Bhoomaraddi College of Engineering and	Not Recommended
Hubballi-580031 Karnataka 113. College- 172 Gokaraju Rangaraju Institute of Engineering and Technology, Bachupally, Kukatpally, Hyderabad-500090 Telangana 114. College- 173 Indian Institute of Public Health, Gandhinagar, Sardar Patel Institute Campus, Drive-In Road, Thaltej, Ahmedabad-380054 Gujarat 115. College- 174 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I Stage, Bengaluru-560050 Karnataka 116. College- 175 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka 117. College- 176 PES College of Pharmacy, 50ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka 117. College- 176 PES College of Pharmacy, 50ft Road, Hanumanthanagar, BSK I- Stage, Bengaluru-560050 Karnataka Not Recommended Applied in wrong format. Only one faculty with PhD. Not Recommended Applied in wrong format. Only two faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD.		1 <i>7</i> 1		
Not Recommended Not Recommended Not Recommended			Vidyanagar,	
College- 172 Gokaraju Rangaraju Institute of Engineering and Technology, Bachupally, Kukatpally, Hyderabad-500090 Telangana 114. College- 173 Indian Institute of Public Health, Gandhinagar, Sardar Patel Institute Campus, Drive-In Road, Thaltei, Ahmedabad-380054 Gujarat College- 174 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I Stage, Bengaluru-560050 Karnataka 116. College- 175 Soft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka Not Recommended Applied in wrong format. Only one faculty with PhD. Not Recommended Applied in wrong format. Only one faculty with PhD. Not Recommended Applied in wrong format. Only two faculty with PhD. Not Recommended Applied in wrong format. Only two faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD.			Hubballi-580031	Applied in wrong format
172 and Technology, Bachupally, Kukatpally, Hyderabad-500090 Telangana 114. College- 173 lndian Institute of Public Health, Gandhinagar, Sardar Patel Institute Campus, Drive-In Road, Thaltej, Ahmedabad-380054 Gujarat 115. College- 174 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I Stage, Bengaluru-560050 Karnataka 116. College- 175 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka 117. College- 176 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka 117. College- 176 PES College of Pharmacy, 50ft Road, Hanumanthanagar, BSK I- Stage, Bengaluru-560050 Karnataka Not Recommended Applied in wrong format. Only two faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD.			Karnataka	
Bachupally, Kukatpally, Hyderabad-500090 Telangana 114. College- 173	113.	College-	Gokaraju Rangaraju Institute of Engineering	Not Recommended
Hyderabad-500090 Telangana 114. College- 173		172	and Technology,	
Hyderabad-500090 Telangana 114. College- 173			Bachupally, Kukatpally,	
Telangana 114. College- 173				Applied in wrong format
Indian Institute of Public Health, Gandhinagar, Sardar Patel Institute Campus, Drive-In Road, Thaltei, Ahmedabad-380054 Gujarat PGS College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I Stage, Bengaluru-560050 Karnataka PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka Nonly one faculty with PhD. 117. College- 176 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka Only two faculty with PhD. 117. College- 176 PES College of Pharmacy, 50ft Road, Hanumanthanagar, BSK I- Stage, Bengaluru-560050 Karnataka Only one faculty with PhD. 118. College- 177 Central Institute of Plastics Engineering and Technology (CIPET), TVK Industrial Estate, Guindy, Chennai-600032				
Drive-In Road, Thaltej, Ahmedabad-380054 Gujarat PG program less than 3years in existence. PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I Stage, Bengaluru-560050 Karnataka PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka PG program less than 3years in existence. Not Recommended Not Recommended Not Recommended Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD.	114.	College-		Not Recommended
Ahmedabad-380054 Gujarat PG program less than 3years in existence. PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK Stage, Bengaluru-560050 Karnataka PG program less than 3years in existence. Not Recommended Applied in wrong format. Only one faculty with PhD. Not Recommended Applied in wrong format. Only two faculty with PhD. Not Recommended Applied in wrong format. Only two faculty with PhD. Not Recommended Applied in wrong format. Only two faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty in PhD. Not Recommended Application in wrong format. Only one faculty in PhD.		173	Sardar Patel Institute Campus,	
Ahmedabad-380054 Gujarat PG program less than 3years in existence. PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I Stage, Bengaluru-560050 Karnataka PG program less than 3years in existence. Not Recommended Applied in wrong format. Only one faculty with PhD. Not Recommended Applied in wrong format. Only two faculty with PhD. Not Recommended Applied in wrong format. Only two faculty with PhD. Not Recommended Applied in wrong format. Only two faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty in PhD. Not Recommended Application in wrong format. Only one faculty with PhD.			Drive-In Road, Thaltej,	Applied in wrong format.
existence. 115. College- 174			Ahmedabad-380054	
115. College- 174 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I Stage, Bengaluru-560050 Karnataka 116. College- 175 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka 117. College- 176 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka Not Recommended Not Recommended Not Recommended Not Recommended Application in wrong format. Only one faculty with PhD. 118. College- 177 Central Institute of Plastics Engineering and Technology (CIPET), TVK Industrial Estate, Guindy, Chennai-600032			Gujarat	PG program less than 3years in
174 50 ft Road, Hanumanthanagar, BSK I Stage, Bengaluru-560050 Karnataka Only one faculty with PhD. 116. College- 175 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka Applied in wrong format. Only two faculty with PhD. 117. College- 176 PES College of Pharmacy, 50ft Road, Hanumanthanagar, BSK I- Stage, Bengaluru-560050 Karnataka Not Recommended Not Recommended Not Recommended Application in wrong format. Only one faculty with PhD. 118. College- 177 Central Institute of Plastics Engineering and Technology (CIPET), TVK Industrial Estate, Guindy, Chennai-600032				existence.
Bengaluru-560050 Karnataka Applied in wrong format. Only one faculty with PhD. Not Recommended Applied in wrong format. Only one faculty with PhD. Not Recommended Applied in wrong format. Only two faculty with PhD. Applied in wrong format. Only two faculty with PhD. Not Recommended Applied in wrong format. Only two faculty with PhD. Not Recommended Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD.	115.	College-	PES College of Pharmacy,	Not Recommended
Karnataka Only one faculty with PhD. PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka Not Recommended Applied in wrong format. Only two faculty with PhD. Not Recommended Applied in wrong format. Only two faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD.		174	50 ft Road, Hanumanthanagar, BSK I Stage,	
116. College- 175 PES College of Pharmacy, 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka 117. College- 176 PES College of Pharmacy, 50ft Road, Hanumanthanagar, BSK I- Stage, Bengaluru-560050 Karnataka Not Recommended Not Recommended Applied in wrong format. Only two faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. 118. College- 177 Central Institute of Plastics Engineering and Technology (CIPET), TVK Industrial Estate, Guindy, Chennai-600032			Bengaluru-560050	Applied in wrong format.
175 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka Only two faculty with PhD. 117. College- 176 PES College of Pharmacy, 50ft Road, Hanumanthanagar, BSK I- Stage, Bengaluru-560050 Karnataka Only one faculty with PhD. 118. College- 177 Central Institute of Plastics Engineering and Technology (CIPET), TVK Industrial Estate, Guindy, Chennai-600032 Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Application in wrong format.			Karnataka	Only one faculty with PhD.
175 50 ft Road, Hanumanthanagar, BSK I stage, Bengaluru-560050 Karnataka Only two faculty with PhD. 117. College- 176 PES College of Pharmacy, 50ft Road, Hanumanthanagar, BSK I- Stage, Bengaluru-560050 Karnataka Only one faculty with PhD. 118. College- 177 Central Institute of Plastics Engineering and Technology (CIPET), TVK Industrial Estate, Guindy, Chennai-600032 Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Application in wrong format.	114	Callana	DEC Callana of Diamona	Not Decommended
Bengaluru-560050 Karnataka PES College of Pharmacy, 50ft Road, Hanumanthanagar, BSK I- Stage, Bengaluru-560050 Karnataka Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Only one faculty with PhD. Not Recommended Application in wrong format. Application in wrong format. Only one faculty with PhD.	110.	_		Not Recommended
College-		1/3		Amplication was a format
117. College- 176 PES College of Pharmacy, 50ft Road, Hanumanthanagar, BSK I- Stage, Bengaluru-560050 Karnataka Application in wrong format. Only one faculty with PhD. 118. College- 177 Central Institute of Plastics Engineering and Technology (CIPET), TVK Industrial Estate, Guindy, Chennai-600032 Not Recommended Application in wrong format. Application in wrong format.			•	• •
176 50ft Road, Hanumanthanagar, BSK I- Stage, Bengaluru-560050 Karnataka 118. College- 177 Central Institute of Plastics Engineering and Technology (CIPET), TVK Industrial Estate, Guindy, Chennai-600032 Application in wrong format. Not Recommended Application in wrong format.			Namataka	Only two faculty with PhD.
Bengaluru-560050 Karnataka College- 177 College- 177 College- 177 Conly one faculty with PhD. Not Recommended Application in wrong format. Not Recommended Application in wrong format. Not Recommended Application in wrong format. Application in wrong format.	11 <i>7</i> .	College-	PES College of Pharmacy,	Not Recommended
Karnataka Only one faculty with PhD. 118. College- 177 Central Institute of Plastics Engineering and Technology (CIPET), TVK Industrial Estate, Guindy, Chennai-600032 College- Application in wrong format.		176	50ft Road, Hanumanthanagar, BSK I- Stage,	
118. College- 177 Central Institute of Plastics Engineering and Technology (CIPET), TVK Industrial Estate, Guindy, Chennai-600032 Not Recommended Application in wrong format.			Bengaluru-560050	Application in wrong format.
and Technology (CIPET), TVK Industrial Estate, Guindy, Chennai-600032 Application in wrong format.			Karnataka	Only one faculty with PhD.
and Technology (CIPET), TVK Industrial Estate, Guindy, Chennai-600032 Application in wrong format.	118.	College-	Central Institute of Plastics Engineering	Not Recommended
TVK Industrial Estate, Guindy, Chennai-600032 Application in wrong format.		_		
Chennai-600032				Application in wrong format.
				1.1.
			Tamil Nadu	